

Page 1/10

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/04/2023 Version 5.02 Reviewed on 07/04/2023

1 Identification

- · Product identifier
- · Trade name: Neutrol L
- · Application of the substance / the mixture

Dry-cleaning

Additiv for solvent care

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SEITZ GmbH

Gutenbergstrasse 1 - 3

65830 Kriftel / Germany

Tel. + 49(0) 6192-9948-0

Fax + 49(0) 6192-9948-99

order@seitz24.com

www.seitz24.com

Supplier

+

.

٠

+

· Information department:

CHEM-TEL Inc.

1305 North Florida Ave

Tampa Florida 33602

Emergency telephone number: 1-800-255-3924 (24-hour Service)

2 Hazard identification

· Classification of the substance or mixture

Skin Corrosion - Category 1B H314 Causes severe skin burns and eye damage.

Serious Eye Damage - Category 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

2,2'-(octadec-9-enylimino)bisethanol

· Hazard statements

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)



Page 2/10

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/04/2023 Version 5.02 Reviewed on 07/04/2023

Trade name: Neutrol L

(Contd. of page 1)

· Precautionary statements

P260 Do not breathe mist/vapours/spray. P280 Wear protective gloves / eye protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

3 Composition/Information on ingredients

Chemical characterization: Mixtures

· CAS-No. Components:		
CAS: 34590-94-8	Propanol, 1(or 2)-(2-methoxymethylethoxy)-	5 – 10% w/w
CAS: 25307-17-9	2,2'-(octadec-9-enylimino)bisethanol	5 – 10% w/w

4 First-aid measures

- Description of first aid measures
- General information Immediately remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- Information for doctor
- · Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.

Indication of any immediate medical attention and special treatment needed

Symptomatic treatment

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents Water with full jet.

(Contd. on page 3)



Page 3/10

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/04/2023 Version 5.02 Reviewed on 07/04/2023

Trade name: Neutrol L

(Contd. of page 2)

· Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with eyes and skin.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

7 Handling and storage

- Handling
- · Precautions for safe handling

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with eyes and skin.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

· Specific end use(s) Dry-cleaning



Page 4/10

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/04/2023 Version 5.02 Reviewed on 07/04/2023

Trade name: Neutrol L

(Contd. of page 3)

8 Exposure controls/ Personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 34590-94-8 Propanol, 1(or 2)-(2-methoxymethylethoxy)-

EL STEL: 150 ppm TWA: 100 ppm

EV STEL: 910 mg/m³, 150 ppm TWA: 605 mg/m³, 100 ppm

Regulatory information

EL: OHS Guidelines Part 5, Table of Exposure Limits for Chemical and Biological Substances

EV: O. Reg. 287/17

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Do not eat, drink, smoke or sniff while working.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation (exceeding the workplace limit values, formation of aerosols).

Protection of hands:

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Tightly sealed goggles.
- · Body protection: Protective work clothing.

_.



Page 5/10

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/04/2023 Version 5.02 Reviewed on 07/04/2023

Trade name: Neutrol L

(Contd. of page 4)

	(Contd. of page
Physical and chemical prop	erties
· Information on basic physical and	I chemical properties
General Information	
· Appearance: Form:	Fluid
Color:	Light yellow
· Odor:	Product specific
· Odor threshold:	No further relevant information available.
· pH-value:	Not applicable.
· Melting point/Melting range:	undetermined
· Boiling point/Boiling range:	undetermined
· Flash point:	undetermined
· Flammability (solid, gaseous)	No further relevant information available.
Ignition temperature:	No further relevant information available.
Decomposition temperature:	No further relevant information available.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	No further relevant information available.
Upper:	No further relevant information available.
Oxidizing properties	No further relevant information available.
Vapor pressure:	No further relevant information available.
Density at 20 °C (68 °F):	~ 0.92 g/cm3 (ISO 2811)
Relative density	No further relevant information available.
Vapor density	No further relevant information available.
Evaporation rate	No further relevant information available.
Solubility in / Miscibility with	
Water:	Emulsifiable
Partition coefficient (n-octanol/wa	ter): No further relevant information available.
· Viscosity:	
Dynamic viscosity:	No further relevant information available.
Kinematic viscosity:	No further relevant information available.
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability

Stable under normal ambient conditions.

No decomposition if used and stored according to specifications.

(Contd. on page 6)



Page 6/10

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/04/2023 Version 5.02 Reviewed on 07/04/2023

Trade name: Neutrol L

(Contd. of page 5)

- · Possibility of hazardous reactions None if used as directed.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidizing agents
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity (Oral, Dermal, by Inhalation)

· LD/LC50 values	that are relevant	t for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 12,727 mg/kg (rat)

CAS: 34590-94-8 Propanol, 1(or 2)-(2-methoxymethylethoxy)-

Oral LD50 > 5,000 mg/kg (rat)

Dermal LD50 9,510 mg/kg (rabbit)

CAS: 25307-17-9 2,2'-(octadec-9-enylimino)bisethanol

Oral LD50 1,260 mg/kg (rat) (OECD 401)

- · SKIN Skin corrosion/irritation Causes severe skin burns and eye damage.
- EYE Serious eye damage/irritation Causes serious eye damage.
- · By Inhalation or by skin Respiratory or skin sensitisation

No further relevant information available.

- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity No further relevant information available.
- · Carcinogenicity No further relevant information available.
- · Reproductive toxicity No further relevant information available.
- · Specific target organ toxicity single exposure No further relevant information available.
- · Specific target organ toxicity repeated exposure No further relevant information available.
- · Aspiration hazard No further relevant information available.

12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 34590-94-8 Propanol, 1(or 2)-(2-methoxymethylethoxy)-

EC50 > 969 mg/l (algae/aquatic plants) (96 h; Pseudokirchneriella subcapitata; OECD 201)

1,919 mg/l (crustacean) (48 h; Daphnia magna; OECD 202)

LC50 10,000 mg/l (fish) (96 h; Pimephales promelas)

EC10 4,168 mg/l (Bacteria) (18 h; Pseudomonas putida)

(Contd. on page 7)



Page 7/10

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/04/2023 Version 5.02 Reviewed on 07/04/2023

Trade name: Neutrol L

(Contd. of page 6			
NOEC 0.5 mg/l (crustacean) (22 d; Daphnia magna; OECD 211)			
CAS: 25307-17-9 2,2'-(octadec-9-enylimino)bisethanol			
EC50 0.0867 mg/l (algae/aquatic plants) (72 h; Pseudokirchneriella subcapitata, OECD 201)			
0.043 mg/l (crustacean) (48 h, Daphnia magna, OECD 202)			
LC50 0.1 mg/l (fish) (96 h; Zebrabärbling; OECD 203)			
EC10 0.0107 mg/l (crustacean) (21 d; Daphnia Magna; OECD 211)			

- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · **Recommendation:** Disposal must be made according to official regulations.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT/TDG, ADR, IMDG, IATA	UN2735
UN proper shipping name	
DOT/TDG	Amines, liquid, corrosive, n.o.s. (2,2'-(octadec-9 enylimino)bisethanol)
ADR	2735 Amines, liquid, corrosive, n.o.s. (2,2'- (octadec-9-enylimino)bisethanol), ENVIRONMENTALLY HAZARDOUS
IMDG	AMINES, LIQUID, CORROSIVE, N.O.S. (2,2'- (octadec-9-enylimino)bisethanol), MARINE POLLUTANT
IATA	AMINES, LIQUID, CORROSIVE, N.O.S. (2,2'- (octadec-9-enylimino)bisethanol)

(Contd. on page 8)



Page 8/10

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/04/2023 Version 5.02 Reviewed on 07/04/2023

Trade name: Neutrol L

(Contd. of page 7)

· Transport hazard class(es)

· DOT/TDG (Transport dangerous goods):



Class 8 Corrosive substances

· Label

· ADR





· Class 8 (C7) Corrosive substances

· Label

·IMDG





· Class 8 Corrosive substances

· Label

· IATA



· Class 8 Corrosive substances

· Label

· Packing group

· DOT/TDG, ADR, IMDG, IATA

• Environmental hazards: Product contains environmentally hazardous

substances: 2,2'-(octadec-9-enylimino)bisethanol

Marine pollutant:Special marking (ADR):Symbol (fish and tree)Symbol (fish and tree)

· Special precautions for user Warning: Corrosive substances

· Hazard identification number (Kemler code): 80 · EMS Number: F-A,S-B

· Segregation groups (SGG18) Alkalis

· Stowage Category

· Segregation Code SG35 Stow "separated from" SGG1-acids

(Contd. on page 9)



Page 9/10

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/04/2023 Version 5.02 Reviewed on 07/04/2023

Trade name: Neutrol L

	(Contd. of page
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT/TDG	
· Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· ADR	
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m
·IMDG	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m
· UN "Model Regulation":	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (2,2'-(OCTADEC-9-ENYLIMINO)BISETHANOL), 8, II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

- · Canadian substance lists
- · Canadian domestic substance list (DSL):

All ingredients are listed.

· Canadian ingredient disclosure list (limit 0.1%):

None of the ingredients is listed.

Canadian ingredient disclosure list (limit 1%):

CAS: 34590-94-8 Propanol, 1(or 2)-(2-methoxymethylethoxy)-

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · TSCA (Toxic Substances Control Act):

All ingredients are listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Please note:

The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that its activities comply with Federal, State or provincial, and local laws. The following

(Contd. on page 10)



Page 10/10

Safety Data Sheet according to HPR, Schedule 1

Printing date 07/04/2023 Version 5.02 Reviewed on 07/04/2023

Trade name: Neutrol L

(Contd. of page 9)

specific information is made for the purpose of complying with numerous laws and regulations.

· Other information: The product has been designed for professional use only.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Date of the latest revision of the safety data sheet 07/04/2023
- Abbreviations and acronyms:

LL50: Lethal loading, 50%

NOEC: No Observed Effect Concentration

ErC50: Effective Concentration 50%, growth rate

EC50: Effective Concentration 50%

EL50: Effect loading, 50% IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

* Data compared to the previous version altered.