

Reviewed on 03/09/2021

- **Product identifier**
- **Trade name: Silk Finish**
- **Application of the substance / the mixture**
Laundry
Finish
- **Details of the supplier of the safety data sheet**

Manufacturer/Supplier:
SEITZ GmbH
Gutenbergstrasse 1 - 3
65830 Kriftel / Germany
Tel. + 49(0) 6192-9948-0
Fax + 49(0) 6192-9948-99
order@seitz24.com
www.seitz24.com
Supplier

+

+

+

+

+

✦

✦

· **Information department:**

CHEM-TEL Inc.
1305 North Florida Ave
Tampa Florida 33602

· **Emergency telephone number:** 1-800-255-3924 (24-hour Service)

· Classification of the substance or mixture

Serious Eye Damage - Category 1 H318 Causes serious eye damage.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms



GHS05

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

- Hazard statements

H318 Causes serious eye damage.

(Contd. on page 2)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 03/09/2021

Reviewed on 03/09/2021

Trade name: Silk Finish

(Contd. of page 1)

· Precautionary statements

- P280 Wear protective gloves / eye protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.

3 Composition/Information on ingredients

· Chemical characterization: Mixtures

· CAS-No. Components:

CAS: 68187-76-8	castor oil, sulfated, sodium salt	15 – 40% w/w
CAS: 94094-93-6	benzene, mono-C10-13-alkyl derivs., fractionation bottoms, heavy ends	5 – 10% w/w
CAS: 68411-30-3	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	5 – 10% w/w

4 First-aid measures

· Description of first aid measures

· **General information** Immediately remove any clothing soiled by the product.

· **After inhalation** Supply fresh air; consult doctor in case of complaints.

· After skin contact

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Information for doctor

· **Most important symptoms and effects, both acute and delayed** Eye damage

· **Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents** No further relevant information available.

· Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

· Advice for firefighters

· Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

(Contd. on page 3)

Safety Data Sheet according to HPR, Schedule 1

Printing date 03/09/2021

Reviewed on 03/09/2021

Trade name: Silk Finish

(Contd. of page 2)

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with eyes and skin.

Ensure adequate ventilation

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

7 Handling and storage

Handling
Precautions for safe handling

Keep away from heat and direct sunlight.

Avoid contact with eyes and skin.

Ensure adequate ventilation

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

Specific end use(s) Laundry

8 Exposure controls/ Personal protection

Control parameters
Components with limit values that require monitoring at the workplace:
Additional information: The lists that were valid during the creation were used as basis.

Exposure controls
Personal protective equipment
General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

Immediately remove all soiled and contaminated clothing

(Contd. on page 4)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 03/09/2021

Reviewed on 03/09/2021

Trade name: Silk Finish

(Contd. of page 3)

- **Breathing equipment:**
Use suitable respiratory protective device in case of insufficient ventilation (exceeding the workplace limit values, formation of aerosols).
- **Protection of hands:**
Protective gloves.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- **Material of gloves**
Nitrile rubber, NBR
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed goggles.
- **Body protection:** Protective work clothing.

9 Physical and chemical properties

- | | |
|--|---|
| · Information on basic physical and chemical properties | |
| · General Information | |
| · Appearance: | |
| Form: | Fluid |
| Color: | Dark yellow |
| · Odor: | Product specific |
| · Odor threshold: | No further relevant information available. |
| · pH-value at 20 °C (68 °F): | ~ 6.0 |
| · Change in condition | |
| Melting point/Melting range: | undetermined |
| Boiling point/Boiling range: | undetermined |
| · Flash point: | Not applicable |
| · Flammability (solid, gaseous) | No further relevant information available. |
| · Decomposition temperature: | No further relevant information available. |
| · Auto igniting: | No further relevant information available. |
| · Danger of explosion: | Product does not present an explosion hazard. |
| · Explosion limits: | |
| Lower: | No further relevant information available. |
| Upper: | No further relevant information available. |
| · Oxidizing properties | No further relevant information available. |
| · Vapor pressure: | No further relevant information available. |
| · Density at 20 °C (68 °F): | ~ 1.02 g/cm ³ (ISO 2811) |

(Contd. on page 5)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 03/09/2021

Reviewed on 03/09/2021

Trade name: Silk Finish

(Contd. of page 4)

- | | |
|---|--|
| · Relative density | No further relevant information available. |
| · Solubility in / Miscibility with Water: | Fully miscible |
| · Partition coefficient (n-octanol/water): | No further relevant information available. |
| · Viscosity: | |
| dynamic: | No further relevant information available. |
| kinematic: | No further relevant information available. |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
Stable under normal ambient conditions.
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** None if used as directed.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** Strong oxidizing agents
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	> 7,273 mg/kg (rat)
Dermal	LD50	> 3,699 mg/kg (rat)

CAS: 68187-76-8 castor oil, sulfated, sodium salt

Oral	LD50	> 15,600 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rat)

CAS: 94094-93-6 benzene, mono-C10-13-alkyl derivs., fractionation bottoms, heavy ends

Oral	LD50	> 2,000 mg/kg (rat) (OECD 401)
Dermal	LD50	> 2,000 mg/kg (rat) (OECD 402)

CAS: 68411-30-3 Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

Oral	LD50	1,080 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rat)

- **Specific symptoms in biological assay:**
- **Skin corrosion/irritation** No further relevant information available.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** No further relevant information available.

(Contd. on page 6)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 03/09/2021

Reviewed on 03/09/2021

Trade name: Silk Finish

(Contd. of page 5)

· **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

· **Germ cell mutagenicity** No further relevant information available.

· **Carcinogenicity** No further relevant information available.

· **Reproductive toxicity** No further relevant information available.

· **Specific target organ toxicity – single exposure** No further relevant information available.

· **Specific target organ toxicity – repeated exposure** No further relevant information available.

· **Aspiration hazard** No further relevant information available.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

CAS: 68187-76-8 castor oil, sulfated, sodium salt

EC50 100 mg/l (Aquatic invertebrates) (48 h; Daphnia magna)

LC50 269 mg/l (Fish) (96 h; Danio rerio)

NOEC 0.62 mg/l (Fish) (35 days; Danio rerio)

> 10 mg/l (Aquatic invertebrates) (21 d; Daphnia)

IC50 46 mg/l (Aquatic plants, algae) (96 h; Pseudokirchneriella)

EC50 > 10 µg/l (Aquatic invertebrates) (21 d; Daphnia)

· **Persistence and degradability**

CAS: 68187-76-8 castor oil, sulfated, sodium salt

OECD 301 B 62 % (/) (28 days)

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

CA

(Contd. on page 7)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 03/09/2021

Reviewed on 03/09/2021

Trade name: Silk Finish

(Contd. of page 6)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Disposal must be made according to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· DOT/TDG, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· DOT/TDG, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT/TDG, ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

15 Regulatory information

- **Canadian substance lists**

- **Canadian domestic substance list (DSL):**

All ingredients are listed.

- **Canadian ingredient disclosure list (limit 0.1%):**

None of the ingredients is listed.

- **Canadian ingredient disclosure list (limit 1%):**

CAS: 68411-30-3 | Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

(Contd. on page 8)

-CA

Safety Data Sheet according to HPR, Schedule 1

Printing date 03/09/2021

Reviewed on 03/09/2021

Trade name: Silk Finish

(Contd. of page 7)

· National regulations:**· Other regulations, limitations and prohibitive regulations****· Please note:**

The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that its activities comply with Federal, State or provincial, and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations.

· Other information: The product has been designed for professional use only.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact:**· Date of the latest revision of the safety data sheet** 03/09/2021 / 5.00**· Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

· * Data compared to the previous version altered.

CA