

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2021

Reviewed on 03/30/2021

1 Identification

- **Product identifier**
- **Trade name: Viva Sol x**
- **Application of the substance / the mixture**
Laundry
Detergent
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SEITZ GmbH
Gutenbergstrasse 1 - 3
65830 Kriftel / Germany
Tel. + 49(0) 6192-9948-0
Fax + 49(0) 6192-9948-99
order@seitz24.com
www.seitz24.com
- **Information department:**
CHEM-TEL Inc.
1305 North Florida Ave
Tampa Florida 33602
- **Emergency telephone number:** 1-800-255-3924 (24-hour Service)

2 Hazard(s) identification

- **Classification of the substance or mixture**
Met. Corr. 1 H290 May be corrosive to metals.
Acute Tox. 4 H302 Harmful if swallowed.
Skin Corr. 1A H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**

GHS05 GHS07
- **Signal word** Danger
- **Hazard-determining components of labeling:**
potassium hydroxide
C6 Alkyl glucoside
1-Propanaminium, N-(3-aminopropyl)-2-hydroxy-N,N-dimethyl-3-sulfo-, N-(C12-18 and C18-unsatd.acyl) derivs., inner salts
- **Hazard statements**
H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2021

Reviewed on 03/30/2021

Trade name: Viva Sol x

(Contd. of page 1)

Precautionary statements

- P260 Do not breathe mist/vapours/spray.
- P280 Wear protective gloves / eye protection.
- P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

Chemical characterization: Mixtures

CAS-No. Components:

CAS: 1344-09-8	silicic acid, sodium salt	10 – 30%
CAS: 1310-58-3	potassium hydroxide	10 – 30%
CAS: 54549-24-5	C6 Alkyl glucoside	5 – 10%
CAS: 691400-36-9	1-Propanaminium, N-(3-aminopropyl)-2-hydroxy-N,N-dimethyl-3-sulfo-, N-(C12-18 and C18-unsatd.acyl) derivs., inner salts	0.5 – 1.5%

4 First-aid measures

Description of first aid measures

General information

- Remove casualties from exposure.
- Keep unprotected persons away.
- Immediately remove any clothing soiled by the product.

After inhalation

- Supply fresh air; consult doctor in case of complaints.
- In case of unconsciousness place patient stably in side position for transportation.

After skin contact

- Immediately rinse with water.
- Seek medical treatment.

After eye contact

- Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing

- Rinse out mouth and then drink plenty of water.
- Do not induce vomiting; immediately call for medical help.

Information for doctor

Most important symptoms and effects, both acute and delayed

- Causes severe skin burns and eye damage.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2021

Reviewed on 03/30/2021

Trade name: Viva Sol x

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**
Symptomatic treatment

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents** No further relevant information available.
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**
Do not inhale explosion gases or combustion gases.
Wear self-contained respiratory protective device.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Avoid contact with eyes and skin.
Ensure adequate ventilation
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose of the collected material according to regulations.
- **Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling**
Keep away from heat and direct sunlight.
Avoid contact with eyes and skin.
Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2021

Reviewed on 03/30/2021

Trade name: Viva Sol x

(Contd. of page 3)

- **Information about storage in one common storage facility:**

- Store away from foodstuffs.
- Do not store together with acids.

- **Further information about storage conditions:**

- Protect from heat and direct sunlight.
- Store in cool, dry conditions in well sealed receptacles.
- Store receptacle in a well ventilated area.
- Protect from frost.

- **Specific end use(s)** Laundry

8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment**

- **General protective and hygienic measures**

- The usual precautionary measures for handling chemicals should be followed.

- Do not eat, drink, smoke or sniff while working.

- Keep away from foodstuffs, beverages and feed.

- Immediately remove all soiled and contaminated clothing

- Wash hands before breaks and at the end of work.

- Avoid contact with the eyes and skin.

- Do not inhale gases / fumes / aerosols.

- **Breathing equipment:**

- Not necessary if room is well-ventilated.

- Use suitable respiratory protective device in case of insufficient ventilation (exceeding the workplace limit values, formation of aerosols).

- **Protection of hands:**

- Alkaline resistant gloves

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**

- Nitrile rubber, NBR

- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Tightly sealed goggles.

- **Body protection:** Alkaline resistant protective clothing

US

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2021

Reviewed on 03/30/2021

Trade name: **Viva Sol x**

(Contd. of page 4)

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

- Form:

Liquid

- Color:

Dark yellow

- **Odor:**

Product specific

- **Odor threshold:**

No further relevant information available.

- **pH-value at 20 °C (68 °F):**

~ 14.0

- **Change in condition**

- Melting point/Melting range:

undetermined

- Boiling point/Boiling range:

undetermined

- **Flash point:**

Not applicable

- **Flammability (solid, gaseous)**

No further relevant information available.

- **Decomposition temperature:**

No further relevant information available.

- **Auto igniting:**

No further relevant information available.

- **Danger of explosion:**

Product does not present an explosion hazard.

- **Explosion limits:**

- Lower:

No further relevant information available.

- Upper:

No further relevant information available.

- **Oxidizing properties**

No further relevant information available.

- **Vapor pressure:**

No further relevant information available.

- **Density at 20 °C (68 °F):**

~ 1.4 g/cm³ (~ 11.683 lbs/gal) (ISO 2811)

- **Relative density**

No further relevant information available.

- **Vapor density**

No further relevant information available.

- **Evaporation rate**

No further relevant information available.

- **Solubility in / Miscibility with**

- Water:

Fully miscible

- **Partition coefficient (n-octanol/water):** No further relevant information available.

- **Viscosity:**

- dynamic:

No further relevant information available.

- kinematic:

No further relevant information available.

- **Other information**

No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.

- **Chemical stability**

Stable under normal ambient conditions.

No decomposition if used and stored according to specifications.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2021

Reviewed on 03/30/2021

Trade name: Viva Sol x

(Contd. of page 5)

- **Possibility of hazardous reactions**
Reacts with acids
Reacts with certain metals
Corrodes aluminium
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**
Acids
Certain metals
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	1,820 mg/kg (rat)
------	------	-------------------

CAS: 1344-09-8 silicic acid, sodium salt

Oral	LD50	3,400 mg/kg (rat)
------	------	-------------------

Dermal	LD50	> 5,000 mg/kg (rat)
--------	------	---------------------

CAS: 1310-58-3 potassium hydroxide

Oral	LD50	273 mg/kg (rat)
------	------	-----------------

CAS: 691400-36-9 1-Propanaminium, N-(3-aminopropyl)-2-hydroxy-N,N-dimethyl-3-sulfo-, N-(C12-18 and C18-unsatd.acyl) derivs., inner salts

Oral	LD50	2,950 mg/kg (rat)
------	------	-------------------

Dermal	LD50	> 2,000 mg/kg (rat)
--------	------	---------------------

- **Specific symptoms in biological assay:**
- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** No further relevant information available.
- **Additional toxicological information:**
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

- **Germ cell mutagenicity** No further relevant information available.
- **Carcinogenicity** No further relevant information available.
- **Reproductive toxicity** No further relevant information available.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2021

Reviewed on 03/30/2021

Trade name: Viva Sol x

(Contd. of page 6)

- **Specific target organ toxicity – single exposure** No further relevant information available.
- **Specific target organ toxicity – repeated exposure** No further relevant information available.
- **Aspiration hazard** No further relevant information available.

12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 1344-09-8 silicic acid, sodium salt

EC50 > 345.4 mg/l (Aquatic plants, algae) (48 h; Daphnia magna)

1,700 mg/l (Aquatic invertebrates) (48 h; Daphnia magna)

LC50 1,108 mg/l (Fish) (96 h; Danio rerio; OECD 203)

CAS: 1310-58-3 potassium hydroxide

LC50 80 mg/l (Fish) (96 h; Gambusia affinis)

CAS: 54549-24-5 C6 Alkyl glucoside

EC50 > 100 mg/l (Aquatic plants, algae) (72 h; Scenedesmus quadricauda)

> 100 mg/l (Aquatic invertebrates) (48 h; Daphnia magna)

LC50 > 100 mg/l (Fish) (96 h; Oncorhynchus mykiss)

CAS: 691400-36-9 1-Propanaminium, N-(3-aminopropyl)-2-hydroxy-N,N-dimethyl-3-sulfo-, N-(C12-18 and C18-unsatd.acyl) derivs., inner salts

EC50 4 mg/l (Aquatic invertebrates) (48 h; Daphnia magna)

LC50 2.1 – 2.66 mg/l (Fish) (96 h; Pimephales promelas)

NOEC 0.76 mg/l (Aquatic plants, algae) (72 h; Skeletonema costatum)

ErC50 2.26 mg/l (Aquatic plants, algae) (72 h; Skeletonema costatum)

- **Persistence and degradability** No further relevant information available.

· Behavior in environmental systems:

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

· Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

US

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2021

Reviewed on 03/30/2021

Trade name: Viva Sol x

(Contd. of page 7)

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Contaminated adsorbent, soil, water must be disposed of in a permitted hazardous waste management facility. Recovered products may be reused, reprocessed or incinerated or must be treated in a permitted hazardous waste management facility. It is your duty to dispose of the chemical materials and/or their containers in accordance with the Clean Air Act, The Clean Water Act, RCRA, as well as applicable Federal, State, and local Regulations regarding disposal.

14 Transport information

- **UN-Number**

- **DOT, ADR, IMDG, IATA**

UN1814

- **UN proper shipping name**

- **DOT**

Potassium hydroxide, solution

- **ADR**

1814 POTASSIUM HYDROXIDE SOLUTION

- **IMDG, IATA**

POTASSIUM HYDROXIDE SOLUTION

- **Transport hazard class(es)**

- **DOT**



- **Class**

8 Corrosive substances

- **Label**

8

- **ADR**



- **Class**

8 (C5) Corrosive substances

- **Label**

8

- **IMDG, IATA**



- **Class**

8 Corrosive substances

- **Label**

8

- **Packing group**

- **DOT, ADR, IMDG, IATA**

II

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2021

Reviewed on 03/30/2021

Trade name: Viva Sol x

(Contd. of page 8)

· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Hazard identification number (Kemler code):	80
· EMS Number:	F-A,S-B
· Segregation groups	Alkalis
· Stowage Category	A
· Segregation Code	SG35 Stow "separated from" SGG1-acids
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· ADR	
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II

15 Regulatory information

· Sara

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2021

Reviewed on 03/30/2021

Trade name: Viva Sol x

(Contd. of page 9)

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

New Jersey Right-to-Know List:

CAS: 1310-58-3 | potassium hydroxide

New Jersey Special Hazardous Substance List:

CAS: 1310-58-3 | potassium hydroxide | CO, R1

Pennsylvania Right-to-Know List:

CAS: 1310-58-3 | potassium hydroxide

Pennsylvania Special Hazardous Substance List:

CAS: 1310-58-3 | potassium hydroxide | E

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

National regulations
Other regulations, limitations and prohibitive regulations
Please note:

The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that its activities comply with Federal, State or provincial, and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations.

Other information: The product has been designed for professional use only.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Contact:
Date of preparation / last revision 03/30/2021 / 4.00
Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

(Contd. on page 11)



The fresher company.

Page 11/11

Safety Data Sheet acc. to OSHA HCS

Printing date 03/30/2021

Reviewed on 03/30/2021

Trade name: Viva Sol x

(Contd. of page 10)

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Met. Corr.1: Corrosive to metals – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· *** Data compared to the previous version altered.**

US